Issuing date 29-Dec-2021 Revision Date 08-Dec-2021 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name DMP 1655 DRY MOLD PROTECTOR

Recommended use of the chemical

and restrictions on use

Product code F04425

Product Type Highly Flammable Liquid and Vapor

Synonyms None

Supplier's details

Recommended Use Dry Rust Preventative.

Uses advised against No information available

Manufactured For: Manufacturer

PCS Company American Jetway Corporation

34500 Doreka Drive 34136 Myrtle Street Fraser, MI 48026 Wayne, MI 48184-0126 PHONE;1-800-521-0546 M-F 8-5 PM Phone:(734) 721-5930

Emergency telephone number

Chemical Emergency Phone NumberCHEMTREC: 1-800-262-8200 ID 1195 (UNITED STATES)

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable Liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

DANGER

Hazard Statements

Causes skin irritation.

May cause respiratory irritation. May cause drowsiness or dizziness.

Causes damage to organs (Eyes, Skin, Respiratory System, Central Nervous System, Liver, and Kidney) through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

Highly flammable liquid and vapor



Appearance Hazy

Physical state Liquid

Odor Solvent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, eye protection, face protection.

Do not breathe dust, fumes, gas, mist, vapors, spray.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Keep away from heat, sparks, open flames, hot surfaces - No smoking.

Keep container tightly closed

Ground/Bond container and receiving equipment.

Use explosion-proof electrical, ventilating, lighting, equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

Get medical advice, attention if you feel unwell

Specific treatment (see first aid on this label).

IF ON SKIN (or hair:)Take off immediately all contaminated clothing. Rinse skin with water, shower

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice, attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor, physician if you feel unwell.

IF SWALLOWED: Immediately call a POISON CENTER, doctor, physician.

Do NOT induce vomiting.

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Precautionary Statements - Disposal

Dispose of contents, container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

None

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
HEPTANE	142-82-5	85-95
PETROLEUM DISTILLATES	8052-41-3	1-10

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Avoid contact with eyes, skin, and clothing.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water for 15 minutes and

seek medical advice.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention immediately if symptoms occur.

Inhalation Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact

emergency medical services immediately.

Ingestion Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to

unconscious person. Risk of product entering the lungs on vomiting after ingestion.

Most important symptoms/effects, acute and delayed

Main Symptoms Causes skin irritation. May cause skin and respiratory irritation. May cause dizziness or

drowsiness. Causes damage to organs through prolonged or repeated exposure. Harmful

and may be fatal if swallowed and enters airways.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water fog. Carbon Dioxide (CO2), Foam, Dry Chemical. Cool Tanks, containers with water spray.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Flammable /Highly Flammable . In the event of fire, cool tanks with water spray. Keep containers ad surrounding area cool with water spray. Keep product and empty container away from heat and sources of ignition.

Explosion Data

Sensitivity to Mechanical Impact none.
Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect fire-fighters from bursting containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use with adequate ventiliation to keep the exposure levels below the OELS.

Environmental precautions

Environmental precautions Vapors can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do

not allow material to contaminate ground water system. Prevent product from entering

drains. Report spills as required by local and federal regulations.

Methods and materials for containment and cleaning up

Methods for Containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal. Prevent further leakage or spillage if safe to do so. Do not allow material to

contaminate ground water system. Prevent product from entering drains.

Methods for cleaning up Soak up with inert absorbent material. Contain liquid and collect with an inter,

non-combustible material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Prevent product from entering drains. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Keep away from

open flames, hot surfaces and sources of ignition. Handle in accordance with good industrial hygiene and safety practice. To avoid ignition of vapors by static electricity

discharge, all metal parts of the equipment must be grounded.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from open

flames, hot surfaces, and sources of ignition. Keep in properly labeled containers. Keep out

of the reach of children. Store locked up.

Incompatible products Strong acids, alkalis, oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name ACGIH TLV	OSHA PEL	NIOSH IDLH
-------------------------	----------	------------

F04425 - DMP 1655 DRY MOLD PROTECTOR

Revision Date 08-Dec-2021

HEPTANE	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm		
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m ³	Ceiling: 440 ppm 15 min		
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m ³ 15 min		
		(vacated) TWA: 1600 mg/m ³	TWA: 85 ppm		
		(vacated) STEL: 500 ppm	TWA: 350 mg/m ³		
		(vacated) STEL: 2000 mg/m ³	_		
PETROLEUM DISTILLATES	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m ³		
8052-41-3		TWA: 2900 mg/m ³	Ceiling: 1800 mg/m ³ 15 min		
		(vacated) TWA: 100 ppm	TWA: 350 mg/m ³		
		(vacated) TWA: 525 mg/m ³	_		

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Exposure controls

Showers **Engineering Measures**

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Safety glasses with side-shields. Tightly fitting safety goggles. **Eye/Face Protection**

Chemical resistant apron. Protective gloves. Skin and body protection

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

> > ASTM D-56

provided in accordance with current local regulations.

Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Liquid **Appearance** Hazy

Odor Solvent

Color Amber **Odor Threshold**

Property Values Remarks • Methods No information available No information available

Melting/freezing point

Boiling point/boiling range

-9 °C / 16 °F **Flash Point**

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air upper flammability limit lower flammability limit

Vapor pressure Vapor density

Specific Gravity 0.711

Water solubility Practically insoluble

Partition coefficient: n-octanol/water

Autoignition temperature

No information available

Decomposition temperature

Viscosity No information available

Explosive properties

Other information

VOC Content(%) 94.35

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong acids, alkalis, oxidizing agents.

Hazardous Decomposition Products

Carbon oxides, Hydrocarbons, Fumes.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Avoid inhaling vapors or mists. Harmful if inhaled. May cause irritation to respiratory

system.

Eye contact May be irritating to the eyes.

Skin contact Causes skin irritation.

Ingestion Harmful and may be fatal if swallowed and enters airways and lungs.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation		
HEPTANE	-	= 3000 mg/kg (Rabbit)	= 103 g/m ³ (Rat) 4 h		
142-82-5			, ,		
PETROLEUM DISTILLATES	-	> 3000 mg/kg (Rabbit)	-		
8052-41-3					

Information on toxicological effects

Symptoms Causes skin irritation. May cause eye and respiratory irritation May cause dizziness or

drowsiness.. Harmful and may be fatal if swallowed and enters airways.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Eye damage/irritation May cause eye irritation.

Irritation Causes skin irritation. May cause eye and respiratory irritation.

Sensitization Germ cell mutagenicityNo information available.
Not a germ cell mutagen.

Carcinogenicity This product does not contain any carcinogens.

ACGIH: (American Conference of Governmental Industrial Hygienists)

F04425 - DMP 1655 DRY MOLD PROTECTOR

Revision Date 08-Dec-2021

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive toxicityThis product does not contain a chemical(s) which is a known or suspected reproductive

hazard.

Specific target organ systemic toxicity (single exposure)

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ systemic toxicity (repeated exposure)
Chronic toxicity

Causes damage to Target Organs listed below through prolonged or repeated exposure.

Causes skin irritation. May cause eye and respiratory irritation. Causes damage to organs through prolonged or repeated exposure. Harmful and may be fatal if swallowed and enters

airways.

Target Organ Effects

Eyes, Skin, Respiratory System, Central Nervous System, and Kidney.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1890 mg/kg
ATEmix (dermal) 5190 mg/kg
ATEmix (inhalation-dust/mist) 365.2 mg/l
ATEmix (inhalation-vapor) 76 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
HEPTANE	-	375.0 mg/L LC50 Cichlid fish	-	-
142-82-5		96h		

Persistence and degradability

Bioaccumulation

Chemical Name	log Pow
HEPTANE	4.66
142-82-5	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state, and local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground UN1993, FLAMMABLE LIQUID, N.O.S.(HEPTANE, PETROLEUM DISTILLATES),3, PG II

IATA PACKAGE SIZE NOT ACCEPTED FOR AIR TRANSPORT

IMDG UN1993, FLAMMABLE LIQUID, N.O.S.(HEPTANE, PETROLEUM DISTILLATES), 3, PG II

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
			NCS					
HEPTANE	X	X	X	Χ	X	X	X	Х
PETROLEUM DISTILLATES	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Star Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain chemical(s) known to the State of California to cause cancer, birth defects, or other reproductive harm.

No warning is required.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
HEPTANE	X	X	X
142-82-5			
PETROLEUM DISTILLATES	X	X	X
8052-41-3			

EPA Pesticide Registration Number Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 3 Instability 0 Physical and chemical hazards -

HMIS Health Hazard 2 Flammability 3 Physical Hazard 0 Personal protection B

Prepared By American Jetway Corporation

34136 Myrtle Street

Wayne, MI 48184-0126

Issuing date 29-Dec-2021 Revision Date 08-Dec-2021 Revision Note

(M)SDS sections updated 2 3 5 7 9 11 14 15 16

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet