

PRODUCT CATEGORY	PAGE	PRODUCT CATEGORY	PAGE
1000 Series Standard Hot Sprue Bushings	L29	Core Pin Retainers	G36
200 Series Standard Hot Sprue Bushings	L18	Core Pins	G34
500 Series Standard Hot Sprue Bushings	L21	Core Pins	H47
80% Core 2 Flute Coated Solid Carbide End Mills -	P6	Cover Plugs & Male Hose Barbs	E40
80% Core 2 Flute Coated Solid Carbide End Mills - Ball Nose	P3	Custom Mold Plaque Request for Quote Form	O25
800 Series Standard Hot Sprue Bushings	L24	Cycle Counters	G3
Accelerated Ejector - PCS CUMSA™	B26	Date Stamp Plus - PCS CUMSA™	F5
Adjustable Hex Pipe Nipples	E17	Decimal Equivalents & Tap Drills Sizes	L37
Aftermarket Hot Runner Parts Offering	N3	Die Bushings	G25
Aftermarket Parts & Services Request for Quote	N7	Diverter Rods	E37
Air Guns	O42	Double Air Valves	G8
Air Poppet Valves	G5	Double Date Stamp - PCS CUMSA™	F4
Angle Pins	C3	Double Ejectors - PCS CUMSA™	C8
Angle Pins	H49	Dowel Pins	G38
Armor Coated Ejector Pins	B14	Ejector Blades	B20
Armor Coated Ejector Pins - Oversized	B16	Ejector Housings #1 Steel	A44
Armor Coated Step Pins	B18	Ejector Pin Counter Bores	P17
Armor Coated Step Pins - Oversized	B19	Ejector Sleeve Extensions	B25
Auto Slide Retainer - PCS CUMSA™	C29	Emerald Ceramic Technology	J8
Ball Nose Metric	P4	Emerald Classic Nozzle	J6
Block Base & Block Insert - PCS CUMSA™	F9	Emerald Hot Runner Systems	J3
Brass Baffles	E3	Emerald Threaded Nozzle	J7
Brass Waterline Rods & Spacers	E38	End Mills - Ball Nose	P10
Bronze Plated Guided Ejector Bushings	H31	End Mills - Square End	P11
Bronze Plated Wear Plate	C36	Extended Reach 2 Flute Solid Carbide End Mills (For Machining Aluminum) - Ball Nose	P15
Carbide Reamers	P18	Extended Reach 2 Flute Solid Carbide End Mills (For Machining Aluminum) - Square End	P16
Cartridge Heater Features	M8	Extension Plugs	E20
Cartridge Heaters Options	M9	Extra Heavy Duty Closed Toe Mold Clamp Assemblies	O31
Cascade Assemblies	E6	Extra Heavy Duty Open Toe Mold Clamp Assemblies	O29
Cascade Brass Tubes	E17	Eyebolts	O37
Cascade Pipe Nipples	E16	E-Z Lifter Series	C10
Cascade Stainless Steel Tubes	E18	F.I.T.S.® 05/05 Series Solid Style Inserts	A52
Center Inserts - PCS CUMSA™	F8	F.I.T.S.® 08/09 Series Laminated Style Inserts	A59
Classic & Threaded Nozzle Selection Guide	J4	F.I.T.S.® 08/09 Series Laminated Style Inserts	A64
Cleaners- Mold Brite	O10	F.I.T.S.® 08/09 Series Solid Plus Style Inserts	A58
Cleaners- Power Clean	O10	F.I.T.S.® 08/09 Series Solid Style Inserts	A53
Coatings- NanoMoldingCoating HC & HCF	O6	F.I.T.S.® 08/09 Series T-Style Inserts	A65
Coatings- NanoMoldingCoating QC	O7	F.I.T.S.® 08/09 Series T-Style Plus Inserts	A68
Compact Coring Unit - PCS CUMSA™	C5	F.I.T.S.® 08/10 Series Laminated Style Inserts	A60
Compact Housing Lifter - PCS CUMSA™	C19	F.I.T.S.® 08/10 Series Solid Style Inserts	A54
Complete line of Hot Runner Systems	J2	F.I.T.S.® 08/10 Series T-Style Inserts	A66
Connector Plugs	E25	F.I.T.S.® 10/12 Series Laminated Style Inserts	A62
Connector Seals	E32	F.I.T.S.® 10/12 Series Solid Style Inserts	A56
Cooling Pins and Heat Transfer Compound	E50	F.I.T.S.® 10/14 Series Laminated Style Inserts	A63



Turn To The Industry Experts

PRODUCT CATEGORY	PAGE	PRODUCT CATEGORY	PAGE
F.I.T.S.® 10/14 Series Solid Style Inserts	A57	Hot Sprue Bushing Selection Guide	L4
F.I.T.S.® 84/90 Series Laminated Style Inserts	A61	Hotlock & Axial Clamp Heater Specifications	M10
F.I.T.S.® 84/90 Series Solid Style Inserts	A55	Hotlock & Axial Clamp Heaters	M11
F.I.T.S.® 84/90 Series T-Style Inserts	A67	Injection Molding Trouble Shooting Guide	L35
F.I.T.S.® Frames & Inserts	A51	Installation Examples	O14
F.I.T.S.® Guided Ejector Bushings & F.I.T.S.® Sleeve Ejector Sets	A69	Insulator Sheets-1/2" (with center hole and blank)	A49
F.I.T.S.® Leader Pins	A70	Insulator Sheets-1/4" (with center hole and blank)	A48
F.I.T.S.® Shoulder Bushings	A71	Kool Flow Manifold™	E52
F.I.T.S.® Snap Rings & F.I.T.S.® Socket Head Shoulder Screws	A72	Kool Flow™ FB2 Assemblies	E55
F.I.T.S.® Support Pillars & F.I.T.S.® Tubular Dowels	A73	Kool Flow™ FB2 Individual Components	E61
FasTie 1" Accessories	O19	Kool Flow™ FB3 Assemblies	E62
FasTie 1-3/8" & 2" Components Accessories	O20	Kool Flow™ FB3 Individual Components	E74
Flat Head Cap Screws	G40	Kool Flow™ FB4 Assemblies	E76
Flexible Cores - PCS CUMSA™	C6	Kool Flow™ FB4 Individual Components	E79
Flexible Tubular Heater Features & Installation Tools	M5	Laser Etched Plastic Plaque	O24
Flexible Tubular Manifold Heater Installation	M7	Latch Lock Sets	C56
Flexible Tubular Manifold Heaters	M6	Leader Pins	H25
Friction Pullers	C67	L-Gibs	C40
Gib Assemblies	C44	Limit Switches	G53
Gib Base Plates	C47	Load Rings	O38
Guide Locks	D12	Locating Rings	G56
Guide Pin Bushings - with Collar	H27	Mainframe Alarm Modules	K13
Guide Pin Bushings - without Collar	H28	Manifold Cleaning and System Refurbishment	N4
Guide Pins - with Collar	H3	Micro Dater & Inserts - PCS CUMSA™	F7
Guide Pins - without Collar	H14	Mini & Standard Hot Sprue Bushing Spare Parts - FSB & FSBH	L16
Guided Ejector Bushings	G21	Mini & Standard Hot Sprue Bushings Benefits - PCS	L3
Hardened Throughout Ejector Pins - D-Head	B6	Mini Hot Sprue Bushings - FSB	L7
Hardened Throughout Ejectors Pins	B3	Mini Hot Sprue Bushings - FSBH	L8
Hardened Throughout Ejectors Pins - Oversized.	B4	Mini Hot Sprue Bushings - PCS	L6
Hardened Throughout Step Pins	B7	Modular Retainer - PCS CUMSA™	C30
Hardened Throughout Step Pins - D-Head	B8	Modular Temperature Controller Guide	K10
Hardened Throughout Step Pins - Oversized	B9	Mold Base 1012 (9-7/8" x 11-7/8")	A9
Headless Ejector Pin Base- PCS CUMSA™	B28	Mold Base 1016 (9-7/8" x 16")	A10
Heavy Duty Open Toe Mold Clamp Assemblies	O28	Mold Base 108 (9-7/8" x 8")	A8
Heavy Duty Pipe Plug Fittings & Diverter Plugs	E3	Mold Base 1112 (10-7/8" x 12")	A11
Hex Key Extension Elbows	E46	Mold Base 1114 (10-7/8" x 14")	A12
Hex Key Extension Pipes	E47	Mold Base 1118 (10-7/8" x 18")	A13
Hex Key Female to Female Street Elbows	E45	Mold Base 1212 (11-7/8" x 12")	A14
Hex Key Female to Male Street Elbows	E44	Mold Base 1215 (11-7/8" x 15")	A15
Hex Series Knockout Rod Extensions	B30	Mold Base 1220 (11-7/8" x 20")	A16
Hoist Rings	O35	Mold Base 1223 (11-7/8" x 23-1/2")	A17
Hose	O40	Mold Base 1315 (13-3/8" x 15")	A18
Hose Caddy	O40	Mold Base 1318 (13-3/8" x 18")	A19
Hose Clamps	O41	Mold Base 1321 (13-3/8" x 20-3/4")	A20

PRODUCT CATEGORY	PAGE	PRODUCT CATEGORY	PAGE
Mold Base 1326 (13-3/8" x 26")	A21	Nitrided Ejector Pins - D Head	I5
Mold Base 1518 (14-7/8" x 17-7/8")	A22	Nitrided Ejector Pins - D-Head	B13
Mold Base 1524 (14-7/8" x 23-3/4")	A23	Nitrided Ejector Pins - Oversized	B12
Mold Base 1616 (15-7/8" x 16")	A24	Nitrided Ejector Sleeves	B22
Mold Base 1620 (15-7/8" x 20")	A25	Nitrided Ejector Sleeves	H43
Mold Base 1623 (15-7/8" x 23-1/2")	A26	Nitrided Ejector Sleeves - Head	H47
Mold Base 1626 (15-7/8" x 26")	A27	Nitrided Step Pins	H40
Mold Base 1629 (15-7/8" x 29-1/2")	A28	Nitrided Step Pins	I4
Mold Base 1818 (17-7/8" x 18")	A29	Nozzle Heater and Hot Runner Component Repair	N5
Mold Base 1820 (17-7/8" x 20")	A30	OEM Heaters & Thermocouples	M12
Mold Base 1823 (17-7/8" x 23-1/2")	A31	OEM Mold Connectors	K23
Mold Base 1826 (17-7/8" x 26")	A32	OEM Mold End Blank Combination Terminal Mounting Boxes	K20
Mold Base 1924 (19-1/2" x 23-3/4")	A33	OEM Mold End Pre-Wired Terminal Mounting Boxes	K19
Mold Base 1929 (19-1/2" x 29-1/2")	A34	OEM Mold Power & Thermocouple Conversion Cables	K22
Mold Base 2424 (23-3/4" x 23-3/4")	A35	Onyx Controller System Features	K4
Mold Base 2429 (23-3/4" x 29-1/2")	A36	Onyx Mold Power & Thermocouple Cables	K7
Mold Base 2435 (23-3/4" x 35-1/2")	A37	O-Ring Plugs	E34
Mold Base 812 (7-7/8" x 11-7/8")	A7	Oversized Ejector Sleeves	B23
Mold Base 88 (7-7/8" x 7-7/8") Offset Guided Ejection	A6	Piston Tubes	E39
Mold Base 88 (7-7/8" x 7-7/8") On Center Guided	A5	Plate Accelerator-PCS CUMSA™	B27
Mold Base Aluminum	A39	Policosmetic, Polifast, Polimax, & Polivalve	J9
Mold Base Special	A40	Polishing Stones	O43
Mold Base Stainless Steel	A38	Pressure Plugs	E35
Mold Base Standard P20 Overview	A4	Pre-wired Terminal Mounting Boxes	K16
Mold Connectors	K15	Product Family Comparison	K3
Mold End Blank Combination Terminal Mounting Boxes	K18	Push-Lock Hose Barbs & Combination Hose Inserts	E41
Mold End Pre-wired Terminal Mounting Boxes	K17	Radius Top Locks - Black & Gold	D7
Mold Grease - Cera Lube Spray Grease	O5	Radius Top Locks - Black & Silver	D5
Mold Grease - NanoCeramicMoldGrease	O4	Ready Slide Assemblies - 100 Series	C22
Mold Guard	O12	Ready Slide Assemblies - 200 Series	C24
Mold Plate Blank #1 Steel Ejector	A42	Ready Slide Assemblies - 300 Series	C26
Mold Plate Blank #1 Steel Ejector Retainer	A43	Recycling & Mark Inserts - PCS CUMSA™	F10
Mold Plate Blank #7 Stainless Steel Ejector &	A45	Red E Vault™	G4
Mold Plate Blank #7 Stainless Steel Rails	A46	Replacement Heads	E11
Mold Plate Blank Finish Ground	A41	Replacement Parts	K24
Mold Power & Thermocouple Cables	K15	Resin Material Processing Guide	L41
Mold Safety Straps	O42	Retaining Bushing - Tunnel Gate Inserts	G97
moldMAX™ Pins	G37	Return Pins	G59
Multi-Plate Locks	D14	Roller Pulling Assemblies	C63
Nitrided Ejector Blades	H34	Round Gate Inserts - Tunnel Gate Inserts	G79
Nitrided Ejector Pins	B11	Round Series Knockout Rod Extensions	B30
Nitrided Ejector Pins	H37	Rust Preventatives - The Defender	O12
Nitrided Ejector Pins	I3	Safety Clips	E32
Nitrided Ejector Pins - D Head	H40	Safety Stopper & Shock Absorber - PCS CUMSA™	G74

PRODUCT CATEGORY	PAGE	PRODUCT CATEGORY	PAGE
Self-Lube Guide Pin Bushings - with Collar	H29	Thermal Set Graphic Plaques	O22
Self-Lubricating Guided Ejector Bushings	H32	Thin Wall Ejector Sleeves	B24
Self-Lubricating Wear Plate	C38	Thread Sealant Tape	O41
Shoulder Bushings	G9	Threaded Locating Pin Accessory	G76
Shoulder Bushings - Bronze Plated	H33	Threadless Plugs	E33
Shoulder Leader Pins - Guided Ejector	G49	Top Locks - Black & Gold	D6
Shoulder Leader Pins - Small Mold Assemblies	G52	Top Locks - Black & Silver	D3
Shoulder Leader Pins - Standard	G45	Traditional Laser Etched Aluminum Plaque	O23
Shoulder Plates for Tapered Interlocks	D16	Tri-Side Locks	D8
Shuttle Mold Side Locks	D11	Tri-Side Top Locks	D9
Shuttle Mold Top Locks	D4	Trunnion Lifter	C20
Side Locks	D10	T-Slides for Gib Assemblies	C46
Side Plates	C39	Tubular Dowel Pins	G39
Slide Latch	C32	Tulip Ejectors - PCS CUMSA™	C9
Slide Retainers	C31	Tunnel Gate Inserts	G77
Smartlock® Slide Retainer and Limit Switch	G55	Variable 3 Flute Coated Solid Carbide End Mills (For Machining Aluminum) - Corner Radius	P13
Socket Connectors	E29	Variable 4 Flute Coated Solid Carbide End Mills - Extended Reach Corner Radius	P10
Socket Head Cap Screws	G41	Variable 4 Flute Coated Solid Carbide End Mills - Square End	P7
Socket Head Shoulder Screws - Stripper Bolt	G44	VC-M 15 Amp Module	K8
Speciality Cleaners - NanoMoldCleaner	O11	Visions 3000/2.0 Controller System	K29
Speciality Cleaners - Zap-Ox	O11	Water Jumpers	E48
Specifications & References	O16	Wattage/Amperage/Resistance Chart	L38
Spray Mold Releases - Dri-Kote	O9	Wear Strips	C48
Spray Mold Releases - Tuff Kote	O9	Wind from stock Coil Heaters	M3
Springs	G60	Wind from stock Coil Heaters Options	M4
Sprue Bushing & Extensions	G65		
Sprue Bushing Reamers	P19		
Sprung Cores	C7		
Square Gate Inserts	G82		
Standard Brass Extension Elbows	E42		
Standard Date Stamps - PCS CUMSA™	F3		
Standard Elbows, Zinc Plated	E43		
Standard Hot Sprue Bushings - PCS	L12		
Standard Mold Base Stack-up	A3		
Stop Pins, Discs, Spacers, & Button	G71		
Straight Bushings	G16		
Straight Leader Pins - Guided Ejector	G50		
Straight Leader Pins - Standard	G47		
Stripper Plate Bushings	G70		
Support Pillars	G75		
Systems Configuration	K12		
Tapered Bar Locks	D13		
Tapered Round Interlocks	D15		
Temperature Dater & Insert - PCS CUMSA™	F6		